



Crenna MagiCAD plugin User Guide

30.05.2018

CONTENTS

CHAPTER 1. GENERAL	3
ABOUT THIS DOCUMENT	3
INSTALLING THE SOFTWARE	3
<i>Required third-party software</i>	3
<i>Installation</i>	3
STARTING THE PROGRAM	4
CHAPTER 2. FUNCTIONS	5
CRENNA TOOLBAR	5

CHAPTER 1. GENERAL

ABOUT THIS DOCUMENT

This document contains instructions for using *Crenna MagiCAD plugin*.

With Crenna MagiCAD plugin you can easily select silencer from various types of silencers and export them into MagiCAD project and drawing.

INSTALLING THE SOFTWARE

Required third-party software

Crenna MagiCAD plugin works with the following MagiCAD for AutoCAD versions

- MagiCAD 2018 and AutoCAD 2015-2018
- MagiCAD 2019 and AutoCAD 2016-2019

Installation

1. Download setup file from
<https://portal.magicad.com/Download/ProductSearch?searchStr=Crenna&categoryId=3>
2. Run the Crenna MagiCAD plug-in installer on your workstation.

Administrator privileges are recommended for installation. **Note if you have several AutoCAD versions on your workstation:**


Before you run the installation program, start MagiCAD to make sure that *Crenna MagiCAD Plugin* installs on the same AutoCAD platform as MagiCAD.

STARTING THE PROGRAM

Before you start using *Crenna MagiCAD Plugin*, start MagiCAD and open a Ventilation project.

Run **CULOAD** (or **MENULOAD**) in AutoCAD, and browse the customization file from the directory where you installed the program (by default, the directory is *C:\Program Files\Crenna*).


When you first time start using *Crenna MagiCAD Plugin*, you need to load the customization file (*CrennaMagi.cuix*) manually.



When you click *Load*, *Crenna* toolbar appears on the desktop.



and ribbon



Next time you use AutoCAD, the customization file is automatically loaded.

Information for network administrators:

Plugin requires connection to Crenna web site. Internet Explorer control is used to browse web pages from crenna.se

Standard HTTP GET (TCP, default port 80 should be used) method is used to retrieve files from the server. GET response includes file (mime application/octet-stream). Your network firewall should allow such connections.


CHAPTER 2. FUNCTIONS

CRENNA TOOLBAR

Start Crenna MagiCAD plugin by clicking button.



Select duct and Crenna selection software will open. Airflow and duct size are imported from MagiCAD.



Crenna MagiCAD plugin 2012.6.1

Välkommen till Crennas projekteringsverktyg för MagiCAD!
Vi har marknadens bredaste sortiment av ljuddämpare och med vårt verktyg kan du även se dämpningen i de olika banden!

Objektnamn/märkning:

GRUNDFÖRUTSÄTTNINGAR UTFÖRANDE SORTERINGSPRIORITERING

PRESTANDA

Luftflöde (l/s)*

Tillåtet tryckfall (Pa)

Maximalt P-tal

OBS! Anges inget maximalt tillåtet tryckfall, utgår vi från ett tryckfall på max 40 Pa.

LJUDNIVÅ IN (från aggregat) (dB)

63 125 250 500 1k 2k 4k 8k

PLACERING

I kanal (sekundär ljuddämpare)


Nära aggregat (primär ljuddämpare)

HÄMTA URVAL

© Copyright Crenna Plåt AB

Export Cancel

Select product and export it to MagiCAD by clicking Export -button



Place product to drawing and continue designing in MagiCAD.

