

Climecon Huuva.X MagiCAD Cloud Plugin for BricsCAD

30/06/2026

Content

1	GENERAL	3
	About this document	3
	Installing the plugin application	3
	Required third party software	3
	Before installation	3
	Installation	3
	Starting the plugin application	4
2	FUNCTIONALITY	5
	Climecon Huuva.X MagiCAD plugin UI overview	5
	Insert hood function	5
	Copy function	5
	Paste function	5
3	INSERT HOOD FUNCTION	6
4	COPY FUNCTION	16
5	PASTE FUNCTION	17

1 General

About this document

This document contains instructions on using Climecon Huuva.X MagiCAD plugin on Bricsys BricsCAD platform. Plugin integrates the Climecon Huuva.X selection tool web application to BricsCAD and MagiCAD.

Climecon Huuva.X MagiCAD plugin allows user to insert and use *CleanMaster*, *StandardPlus* and *MistMaster* product family kitchen hoods in BricsCAD drawings and MagiCAD projects. After insert the products will be attached in MagiCAD ventilation ductwork by user and hood technical data is available in MagiCAD specific calculations.

Hood products can be also copied and pasted between the BricsCAD drawings.

Installing the plugin application

Required third party software

Make sure you have the corresponding platform application (BricsCAD) .NET framework installed in your workstation. For BricsCAD V24 and V25 .NET4 and for V26 .NET8 is required.

Climecon Huuva.X MagiCAD plugin works with the following MagiCAD and BricsCAD versions:

- MagiCAD for BricsCAD 2026 with BricsCAD V24-V26
- MagiCAD for BricsCAD 2027 with BricsCAD V24-V26

Before installation

Workstation administrator privileges are recommended for installation.

Installation

1. Download the installer file *Climecon Plugin for BricsCAD and MagiCAD* from MagiCAD portal to your workstation:

<https://portal.magicad.com/Download/ProductSearch?searchStr=Climecon&categoryId=3>

2. Run the Climecon plugin installer on your workstation.

Starting the plugin application

The plugin is automatically loaded and is ready to be used once BricsCAD and MagiCAD is started next time after the plugin installation.

Before you start using the Climecon Huuva.X MagiCAD plugin, note that MagiCAD project with the required ventilation systems are required i.e. extract systems or extract and supply systems, depending on the hood products to be installed.

Locate the MagiCAD Connect tab from the BricsCAD ribbon panel. Once the Climecon Huuva.X MagiCAD plugin is loaded the Climecon ribbon panel and Huuva.X buttons can be found from MagiCAD Connect tab. The plugin specific command is started by clicking the button on ribbon or by typing the command in BricsCAD command line.



Figure 1 Climecon Huuva.X split button and commands in BricsCAD ribbon panel

2 Functionality

Climecon Huuva.X MagiCAD plugin UI overview

Huuva.X plugin contains the following operations:

Insert hood function



With this function user selects and inserts a new Huuva.X kitchen hood product to BricsCAD and MagiCAD with Climecon Huuva.X selection tool.

Copy function



With this function user selects a single, multiple or all inserted hood products from the BricsCAD drawing and copies those for the paste operation.

Paste function



With this function user pastes the copied hood products into another BricsCAD drawing.

3 Insert hood function

Follow these steps to insert hood product from Climecon Huuva.X selection tool to BricsCAD and MagiCAD.

1. Click the Insert hood button from the Climecon panel or give the command *HUUUVAX_INS*. When command is started, plugin first checks the existence of Climecon specific duct series in MagiCAD project. Those will be needed in the final hood product construction. If Climecon specific duct series does not exist, it will be created by plugin and user is informed in BricsCAD command line with message e.g. *Climecon plugin duct series added to MagiCAD project*.
2. Once the operation is started the plugin opens the Huuva.X selection tool in its browser view. Select the hood product family, specify the search criteria and click the “Search” button to proceed.




Figure 2 Climecon Huuva.X selection tool in plugin browser view

- The search gives the hood product cards which fit into the search criteria. Scroll down to all search results, select a hood product and insert it to BricsCAD and MagiCAD by clicking the “Export to MagiCAD” button.




Figure 3 Hood search results and products ready for insert

4. After button click, plugin opens the insert hood dialog where user can:

- Select the supply and extract ventilation systems for the hood product. If hood product does not include supply part then the system selection is disabled. Dialog shows also the system specific total air flow values of the hood.

Drainage and cold water system selections are available only for certain type of product families (MistMaster).

- Select the hood product installation level. Values are updated according to hood product height. The default value for installation height is at bottom 2100 mm.
- User code and description are generated by the plugin. Change the values if necessary.

Start the hood product insert into BricsCAD and MagiCAD with OK button




Figure 4 Plugin hood insert dialog with Huuva.X product

5. After the plugin has added the hood parts in to MagiCAD project and generated the geometry object, user drags and drops the product into drawing. After placement, user can change the product orientation. The final installation position and orientation is accepted with ENTER key. You can insert multiple products and after all the needed products are inserted, the operation ends with ESC key.




Figure 5 Hood object drag and drop in BricsCAD drawing

6. After the products are installed, connect the hood product into MagiCAD ventilation ductwork. This is done with MagiCAD duct drawing functionalities.




Figure 6 Hood product in MagiCAD ventilation ductwork

7. Finally, run the needed MagiCAD calculations for the products e.g. MagiCAD flow balancing calculation. Update the results into model and the hood product insert is done!




Figure 7 MagiCAD balancing report for hood supply parts




Figure 8 MagiCAD balancing report for hood extract parts




Figure 9 Extract chamber pressure and sound generation data




Figure 10 Extract damper pressure and sound generation data




Figure 11 Supply chamber pressure and sound generation data





Figure 12 Supply damper pressure and sound generation data


4 Copy function

Follow these steps to copy hoods and hood devices from BricsCAD drawing for paste function.

1. Click the Copy button from the Climecon panel or give the command *HUUVAX_COPY*.
2. Once the operation is started the plugin asks the user to select the hoods from the drawing. This is done with the rectangle selection function of BricsCAD. User may select single or multiple hood products or all by giving the command *ALL*. Accept the selection with ENTER.




3. After user acceptance, plugin shows a dialog to show the number of products copied for the paste function.



5 Paste function

Follow these steps to paste copied hoods to BricsCAD drawing.


1. Click the Paste button from the Climecon panel or give the command *HUUVAX_PASTE*.
When command is started, plugin first checks the existence of Climecon specific duct series in MagiCAD project. Those will be needed in the final hood product construction. If Climecon specific duct series does not exist, it will be created by plugin and user is informed in BricsCAD command line with message e.g. *Climecon plugin duct series added to MagiCAD project*.
2. Once the operation starts the plugin opens the Paste dialog. Note that pre-requirement for paste operation is that some hoods are first copied. If there are no copied hoods, the user is informed with a dialog.



3. The Paste hoods dialog shows the copied hoods and hood devices in each line. The columns indicate the following information:

- Product code:** The product code of the copied hood. Pasted hood will get the same product code.
- User code:** The User code of the copied hood. Pasted hood will get the user code value of this field. Users can edit this value.
- Systems:** The Extract, supply, drainage and water systems of the pasted hood. Initial value for system is taken from the MagiCAD project where hood is copied from. Identification is done with system user code and title.
- Users can select the hood specific systems according to systems available in target MagiCAD project and according to hood type.

When all the data in dialog is OK, click the OK button to start the paste function.



Product code	User code	Extract system	Supply system	Drainage system	Water system
CLM-2800x1800x560-R1UV2(2x315)-T2(3x250)-V3-FUV=5-PL150/PR150	CLU78135	E1 "Extract 1"	S1 "Supply 1"		

4. After the OK is clicked, the plugin starts to generate the hoods. Finally, the hoods are inserted into the same position with the same orientation as the original copied hoods.

